### SUPPLEMENT TO

# The Gazette



# of **Endia**

No	16	1
130.	10	- 1

### NEW DELHI, SATURDAY, APRIL 28, 1956

Reported attacks and deaths from cholers, smallpox, plague and typhus in districts in India during the ending the 31st March, 1956  Cholera Smallpox Plague Cholera Smallpox Plague Cholera C. D. C. D. C. D. C. D. C. C. D. C.	D,
C. D. C. D C. D G. D. C.	D,
	• ·
STATES PART (A) & PART (C) Assum—contd.	
A)mer (Est d. mid-year pep. 9,817 thousands.)	<b>.</b> .
TOTAL	. ·
(Hstd. mid-year pop. ; 752 thousands.)  Total for w/e 24-3-56	
Total for w/e 24-3-56 7-yearly mean for the	
Total for w/e 17-3-56	
7-yearly mean for the Bhopsi	
Week	
Andhra	
Srikakulam 3 1 (Estd. mid-year pop. 867 thousands.)	
Visskhapatnam 6 2 Total for w/e 24-3-56 33 9	
Godavari East	
Godavari West	••
7 Yearly mean Krishna	• •
Guntur	
Nellore	•
Kurnool 86 44 2	
Cuddapah . 13 6 Bombay	
Anantapur . 15 3 24 1 . Greater Bombay 4	• •
Ahmedabad	• •
Broach 8 3	
TOTAL . 121 54 249 58 1 Strat	
(Estd. mid-year pop. 21,238 thousands.) Thans	
Total for w/e 24-3-56 197 103 338 60 South Satara	• •
Total for w/c 17-3-56 307 102 239 43 4 4 Ahmednagar	
7-Wearly mean for the Bast Khandesh 53 4 90 52 433 83	• •
week 90 52 433 83	••
Assam Poons 3	••
Kamrup	
Total	••

Explanation of Symbols used; C=Cases; D=Deaths; "N.R." Information not received; .. =Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 31st March, 1956—contd.

	CHOL	era	SMALL	LPOX	PLAG	UE		Сно	LERA	SMA	LLPOX	PL	AC UE.
and the same	C,	D.	C.	D.	C.	D.		C.	D.	C.	D,	C	D,
1	Bomba	vcon	td.					M.	dras				
Bijapur	I	. 1	II				Madras town .			4		. 14	
Mehsana	••	••	7	2	••	.,	Chingleput	• •		1	••		
Banaskantha .			13	2			North Arcot			5	3	.,	* **
DBUHRKWITCH	• •	••	1.5	-	••	• •	Salem ,			ı	٠.		
TOTAL .	4	I	265	45	.,	• •	South Arcot		r <del>-</del>	15	6		• =-
(Estd. mld-year por 39,569 thousands.)	ρ,						Tiruchirappalli .	•	·	5			t 4
Total for w/e 24-3-5	6		<b>2</b> 75	66		• •	Ramnathapuram			7			<u>.</u>
		••					Tirunelveli	_		9	2	•	
Total for w/e 17-3-50		••	302	57	**	••	Malabar	• •	1.	12	7	• •	
7-yearly mean for the week	. 8	1	618	103	••	••	Total .	٠	••	59	18	••	<b>#</b> 8~
	Co	org					Estd. mid-year pop.						
TOTAL	• ••	B.A	••	••	••	• •	38,273 thousands.)  Total for w/o 24-3-56		_	<b>5</b> 1	19		
(Estd, mid-year pop. 262 thousands.)							Total for w/e 17-3-56			5 <b>7</b>	18		• •
Total for w/e 24-3-56	5	••	••		••		7-yearly mean for the week	181	94	163	31	-,	* <b>*</b>
Total for w/e 17-3-56	•••	••	••		**	-			Manip	ur			
7-yearly mean for th	16						TOTAL .		••		-	. •	
weck	**	••	••	••	• *	•.	Estd. mid-year pop. 613 thousands.)						
	1	Delhi					Total for w/e 24-3-56	••	• •		3	• •	
Delhi City	• • •	••	7		••	• •	Total for w/e 17-3-56		••	9	3	••	
New Delhi .	• ••	••	2	••	••	••			Orie	44			
Delhi Notified Area	••	• •	••	• •	• •	**	Cuttack	5	I	I	••	••	• 1.5
Total .			9		• 1	**	Balasore	4	I	ю	••	.,	
							Puri	I	••	1	••	••	**
(Estd. mid-year pop 1,744 thousands.)	٠,						Sambalpur Dhenkanal	4	ı.	<b>5</b> 28	••	••	# 44
Total for w/c 24-3-50	5	,,	15	10	••	**	Bolangir Patna	.,		13	••	••	•
Total for w/e 17-3-5		••	13	5	••	849	Kalahandi	3	3	5	••	••	••
7-yearly mean	• ••		-5	,			TOTAL	17	6	65	••	••	
for the week	••	• •	5	2	••		(Estd. mid-year pop. 15,114 thousands.)						
H	imach						Total for w/e 24-3-56	6	3	<b>5</b> 3		• •	• • -
	•	'N.R.'	•				Total for w/e 17-3-56	3	2,	34	••	••	••
1	Madbys	Prad					7-yearly mean for the week	31	14	322	42		
						_		<b></b>			<b>44</b>	••	••

Explanation of Symbols used: C.-Cases; D.-Deaths; N.R.-Information not received .. -Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 31st March, 1956—contd.

					W	сек еп	aing i	me 318	t March, 1950—conta.						
			Сн	OLKRA	SMA	ALLPOX	Pla	GTTE		Сно	LERA	Sa	ALLPO	x PL	AGUE
			C.	D.	C.	D.	C.	D.	<del></del> -	G.	D.	C	3. ;	D, C,	D.
			Pu	njab	<b>(I</b> )				Vi	indhy	ya Pra	desh			
Hissar				• •	5	2	••	• •		q	I.R."				
Rohtak			• •	• •	2	••	• •	• •		D					
Hoshiarpu	r .	•		••	I	• •	• •	••			Beng	<b>8</b> .1			
Jullundur	•	•	• •	• •	7	••	• •	••		"N.	R,"				
•	Γοπλι	•	• •	• •	15	2	• •	• •	Grand Total for States Parts (A) & (C)						
(Estd. mi 12,641 (	d-ye <i>ur</i> thousa	pop. nds.)							(excluding Bihar, Himachal Pradesh, Madhya Pradesh, & Vindhya Pradesh) 15		<i>c</i> ,				_
Total for v	v/o 24-	3-56	••		19	2	••	••			<b>6</b> 3	790	168	**	I.
Total for w	v/e 17-	3 <b>-5</b> 6	• •	••	16	4.	••	••	Corresponding (Estd. mic 208,376 thousands.)	d-yea	r fcp.				
7-yearly m we≭	ean for	r the	4 1	••	18	5	**		"Total for w/c 24-3-56 2	204	106	849	201		• •
			Tripe						"Total for w/e 17-3-56 31	12	104	364	168	4	4
	٦	<b>COTAL</b>	-				••	**	"7-yearly mean for the		1 <b>7</b> 8 I,	709	305	130	36
(Estd. mid pop. 70 thousand	<b>06</b>													250	,,,
	-								!	STA	TES E	ART	(B)		
Total for 24-3-56	,	•	r	••	••	• •		A	Aurangabad		Hydera	abad I		••	
Total for 17-3-56	: w/e	•	••	••	3		ā-q	•	•	15	6	••	••		••
			Po	ndich	ery				Mahbubnagar .	II	9			_	_
	Тота		••	6.0	21	II	• 4	••	Khammam	••	.,	3			
		,	Uttar	Prade	_				Total .	26	15	4			
Dehra Du	n.	•	••	••	5	3	••	••			_	,	••	••	<b>.</b>
Mathura	•	•	• •	••	4	I	••	••	Jami	mu a	nd Kad	hmir	:		
Kanpur	•	•	•••	••	2	••	••	•		•	'N. R.	to .			
Allahabad	•	•	••	••	3	2	••	• •	Ma	edhy:	Bha	rat			
Jalaun	•	•	••,	••	4	2	**	••		•	n.r.	7			
Banaras	•	•	٠,	••	Ĭ	••	••	••							
Gorakhpur	•	•	8	2		••	••	••	•		Myso	re",			
Deoria		-	••	• •	2	I	••		_	••	••	••	r	••	• • •
Sitapur					I			••	Kolary	• •	••	••	••	3	1
Kheri	•	•	••	••	I	I	••	••	Chitaldrug		••	12	2	••	• • -
Gonda .		•		••	5	I		••	Bellary		••	7	I	••	
Rаmpur		•	••		7	2	••	••	-	-		•	-		••-
Tr	DŤAL		8	2	35	13			Shimoga	•	-	12	••	••	94.
(Estd. mid pop. 66 thousand	-year 5,780	-	-	-		~ <i>J</i>	••	••	Тотац		••	31	4	3	I.
Total for w	7/e				- 5				Patiala & E	Best I	Punjab	State	es Uni	on	
24-3-56 Total for w	/o	•	••	••	28	12	···	••	TOTAL	•		I	••	••	
17-3-56 7-yearly me	an for	the	••	••	32	7	••	_	F	Rajas					
wask.	•	•	42	17	145	37	130	36		"N.]	R".				

Explanation of Symbols used : C=Cases; D=Deaths; ..=Nil information; "N.R."=Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 31st March, 1956—contd.

	CHOLERA	Smallpox	PLAGUE		CHOLERA S	MALLPOX PLAGUE
	C. D.;	ř <b>C.</b> D.	C. D."	_	C, D,	C. D. C. D.
	Saurashtr	2			Bihar	
Gohilwad	••	3	••		w/e 10-3-56	
Zalawad	\$1P	3 і	v - • •	Patna	21	7
TOTAL .	••	3 4		Gaya	10	<b>2</b> ., 1
Tr	вунпсоге- С	ochin		Monghyr	3	
TOTAL		11 4	••	Bhagalpur	8	ı
Grand Total for State Part (B)	e 26 15	50 12	3 I	Purnea	9	3
Grand Total for State	,			Manbhum	24	2
Parts (A), (B) and (C)	1 <b>7</b> 7 78	840 180	3 2	TOTAL .	75	15
ARR	EAR INFO	RMATION			Bombay	
	Madhya F	radesh			w/e 24-3-55	
	w/e 24-3	-56		Greater Bombay .	3	<b>2</b> ,
Nagpur		38 6	**	Ahmedabad	17	6
Wardha		ı	,	Surat	50	25
Chanda	••	13		Ahmednager	,	ı
Chhindwara	• > • •	4	4	East Khandesh	76	9
		48 2		West Khandesh .	4	** ** ** .
Betul · ·	••			Satara North .	I	
Jabalpur		28 4	••	Sholapur	26	<i>5</i>
Bhaddra	••	5 4		Bljapur	14	
Sagar		50 24		Baroda	17	5
Mandla		4	••	Mchsana	8	I
Hoshangabad		9 1	/ h = 1 h	Banaskantha	20	5
Balghat		37 I		Breach	30	2
Ralpur	1 1	2	** **	Panch mehal	I	
				Thana	6	
Bliaspur		6 		Total	275	66
Durg		6	** **		Dhan-s	
Amravati		9 I			Bhopai	·
Akola	••	113 23	., .,	Total	17-3-56	1
Buldana .		51 6	**	-	w/e 24-3-56	••
TOTAL	1 1	424 68		TOTAL .	• 39	9

Explanation of Symbols used: C-Cases; D-Deaths; .. - Nil "N. R." - Information not received.

Reported attacks and deaths from choters, smallpox, plague and typhus in districts in India during the week ending the 31st March, 1956—concld.

	Снои	ŔΩ <b>T</b> \.	SMAI	TEOX	PLA	GUE				Ca	OLERA	Smai	LPOX	PL.	AGUE
e te <del>ma</del>	C.	D.	C.	D.	C.	D.				œ.	D.	C.	D.	C.	D.
	Vindi	hya P	radesi	1							Biher				
										<i>w/e</i>	17-3-	56			
	10	¢ 17-3	-56				Patna	•	•	••	• •	19	3	• •	• •
							Gaya .			•		10	••	• •	
TOTAL							Bhagalpur	•		• •	••	3	••	••	• •
							Purnce .	•		٠.	• •	56	9		
							Samtal Parg	zanas		••	••	9	2		•
1	w/o	<b>24-</b> 3- <b>5</b>	6				Monbhum	•		1	**	28	2		•
TOTAL		••			••	••		Тотл		I	••	124	16	••	
Explan	nation of S	ymat o	s used:	(CC	Ascs; J	J. – Des	the; "N.R."	-Info	)rmaj	ion no	t roce	ived.			
New Delhi-2 (	-	)	•								íot R	K. N egistra	AITR Gene		rdia .

## Prosper with the NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S Small Savings Scheme

and help India's

- O COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/ Individual helding upto Rs. 25,000/
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3i per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/ Individual holding upto Rs. 25,000/
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4) per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/ Individual holding upto Rs. 1,000/
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 19,000/- and 14 per cent on balance upto Rs. 15,000/

### **IS-YEAR ANNUITY CERTIFICATES**

Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.

Refunded together with compound interest at 3j per cent per annum in the form of monthly payments apread over a period of fifteen years.

### YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simia, or to the Regional National Savings Officer of your State.

## INVEST IN INDIA'S FUTURE

AC. 484

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 31st March, 1936

								De	wtps (toi	<b>—</b> 1 i				
Town		Mid <b>yea</b> Popn. Es (000)		B.R.•	c.	s.	Р,	P.	D.D.	R.D.	M.D		D.R.*	1,D,
					STA:	res	Parts	A and	C)					
Ajmei	r	4												
Ajmer B <b>e</b> awar	. :	. 223 • 59		17·3	.,		••	8 6		9 3		27 11	6·3 9·7	6 3
T	OTAL .	. 282	91	16.8	••	••	••	14	I	12	1	38	7.0	9
Andhr	2													
Adoni Anantpur Anakapalli	: :	63 38 46	51 56	42·1 76·6 28·3	**	••	••	••	••	7 .	4. 4.	18 14	14·9 19·2	4 1 6
Bhimavaran		36	25	-	••	••	••	1	••	3	ı	19	21.5	
Chirala Chittoor†		43	31 39	44·8 47·2	••		••	<b>2</b> 5	41 <b>0</b>	1	·•	<b>13</b>	15.7	5 7
Cuddapab Bluru Gudiyada	,	42 99 36	34 <b>59</b> 41	42·1 31·0 59·2	••	2	••	2 4 2		3 1	2	16 1 <b>7</b> 5	19 8 8.9 7.2	3: 2 I
Gunturt		147	92	32.6		2	•••		5	7	ı	42	14 9	6
Guntakal Kakinada	: :	<b>3</b> 7 113	<b>2</b> 3 42	19·3	::	19		3 4	.,	3	::	12 47	16 <b>·9</b>	3 5
Kurnool Masulipatna Nandyal†	m .	<b>6</b> 8 <b>88</b>	85 70	65 <b>°</b> 0	-;	2		2		6 2	••	28 20	21·4 11 8	2 6
Nellore Proddatur Rajahmundi	ry .	9 <b>5</b> 42 122	95 31 86	52°0 38 4 36°6	• •	  2		7 2 13	7 2 1		••	67 12 52	36·6 14·9 22·2	7 4 11
Tenali Vijayawada Visakhapatn	am ,	6 <b>7</b> 201 128	38 186 55	29·5 48·2 22·3	• •	 3 1	•-	8 16	I I I	1 7 27		13 47 78	10°1 12°2 31.7	4 12 18
Vizianagarai	m .	7 <b>5</b>	42	<b>2</b> 9·1	• •	,		2	I	1	., ,	21	14.6	8
	TOTAL	1,586	1,181	38.7	••	31	•	75	<b>2</b> 5	<b>7</b> 6	4	548	18 o	115
As:	sa m													
Shillong† Gauhati Dibrugarh		51 46	10 1	10 2 1·1		••	• •	8		• •		16	16 3	• •
Silchar†		40	•	1.1	••	••	••	• •	• •	1.4	•• •*	I	1.1	••
	TOTAL	97	11	5 9			••	8		••		17	<b>9</b> .1	
1	Bhopal													
Bhopal City		116	48	21.2		••	••	• •	. •	.* •	••	4	1.8	••
	Biher Bombay	}				"N. F	<b>'.</b> ''							
]	Delhi State	»: <del></del> -					,							
Delhi City New Delhi	Start -	1124 374	425 184	19·7 25·6	••	••		39 4	2 2	22	••	115 33	5 3 4·6	32 3
		, 117	54	24.0	••	I	••	1	<b>.</b>	3		8	3.6	4
Delhi Cantt Delhi-Shahd		50 53	30 34	31.5	••	••	••		••	••	••	I	1.0	٠.
Тота			35	34*3	••	••	••	3	I	•• ••	. •	4	3.9	2
TOTAL		1,718	<b>72</b> 3	22*0	••	I	••	47	6	25	• •	161	49	<b>41</b>

<sup>\*</sup>In cases of towns where there has been an abnormal movement of population, it is likely that the Population catimates may not be sufficiently reliable for calculating the birth and death rates.

<sup>†</sup>Figures not available.

Explanation of symbols used :—B.—Birth ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; F.—Plague ; F.—Fever; D.D. —Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ...—Nil Information. "N. R." —Information not received.

birms and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 31st March, 1956—contd.

Deaths from t--

Томп	Mid-year Popn. Est. B. (000)	B₄R₄*	C,	s.	Р.	F.	D <b>,D,</b>	R₄D₄	M.D.	<b>l</b> 'otal	D.R.*	I.D.
Madhya Pra	adesh			"N.R.	."							
Madras												
Ambur Aruppukottai Bodinayakanur	. 44 40 . 56 30 . 40 28	47.3 27.9 36.4	··· 、	••	••	і 6 	4 2	5 2 1	• •	7 16 5	8·3 14·9 6·3	2 3 1
Cannanore Chidambaram Colmbatore	47 25 • 39 28 • 234 175	27·7 37·3 39·9	::	••	••	I I 2	 2 71	5 2 17	 2 	17 20 84	18·8 26·7 18·7	3 2 20
Cuddalore	• 74 97 • 90 88 • 67 53	70·1 50·8 41·1	••	::	•••	2 	1 3 2	6 I		37 1 <b>7</b> 15	26·7 9·8 11·6	13 4 2
Gobichetty Palayam Guddiyattam Kancheepuram	. 38 31 . 53 44 . 90 86	42·4 43·2 49·7	 .:	••	••	2	 2	1 2 10	 2 1	6 14 28	8·2 13·7 16·2	2 5 4
Karaikudi Karur†	• 44 42	49.6	••	••	<b>.</b>	1	••	2	••	8	9.2	ı
Kozhikode	. 176 147	43 4	• •	••	• •	3	• •	11		82	24.2	18
Kumbakonam	105 155 1703 1125 136 102	76·8 34·3 39·0		::		1 67 2	92 I	146 10	35	23 96 40	11·4 18·2 15·3	173 2
Mathurai Mayuram†	. 427. 326	39.7	• •	••	••	4	6	44	<b>2</b> I	39	16.9	34
Molapalayam .	4I 34	43.1	••	••	••	2	••	I	••	8	10.1	••
Nagapattinam Ootscamund Palani	. 60 51 . 48 47 . 40 43	44 2 50 9 55 9	••	••	••	•••	I 2 I	6 3	• •	14 17 11	12 1 18 4 14 3	3 5 4
Palayamkottai Palghat Periyakulam	• 45 41 • 77 57 • 34 38	47:4 38:5 58:1		••	•	1 2	1 2 1	4 5 4		28 1 <b>7</b> 8	32·4 11·5 12·2	7 1
Pollachi Pudukottai Rajapalayam	51 41 • 50 43 • 69 38	41.8 44.7 28.6		::	••	  1	1 1 4	3 3 2	2 1 	12 13 11	12·2 13·5 8·3	I I 2
Salem Srirangam Salvilliputtur	. 241 150 . 42 23 . 44 35	32·4 28·5 41·4	••	••	••	11  2	6 	11 2 1	• •	71 10 16	15·3 12·4 18·9	10 4 7
Tanjora . Tellicherry . Tiruchirappalli .	. 118 71 . 42 34 . 251 246	31·3 42·1 51·0	••	••	::	 7	 3	2 1 9	• •	43 11 83	13·6 13·6	. 5 3 19
Tiruncivoli Tiruppur Tiruvannamalai	. 80 68 . 63 63 . 45 32	44·2 52·0 37·0	••		•••	ĭ ĭ	2 3 1	8 4 3	2	30 <b>2</b> 3 10	19·0 19·5	8 6 2
Tuticorin† Vaniyambadi Jollore	· 43 43 · 124 99	52.0 41·5	••	••	••			2 9	<b>t</b>	<b>5</b> 35	6 <b>·o</b> 14·7	1 8
Villupuram Virudhunagar	39 4I 53 44	54·7 43·2	••	• •	••	2	2 2	.5	••	25 16	33·3 15·7	12 4
TOTAL	5163 4004	40.3		••	••	128	162	35 <b>7</b>	28 16	5 <b>7</b> 1	16.8	408
Orlean												
Serbampur Cuttack	. 72 75 . 117 104 . 53 27	54·3 46·4 26·6		••		2 8 <b>7</b>	3  2	1 7 1		11 33 24	8.0 14.7 23.6	2 7 5
TOTAL	· <b>242</b> 206	44.3				17	5	9	••	68	14 6	14
					_	_	_					_

<sup>\*</sup> In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

<sup>†</sup> Figures not available.

Explanation of symbols used ;—B.=Births; B. R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fevera; D. D.=Dysentery and Diarrhoea; R. D.=Respiratory Diseases; M. D.=Maternal Deaths; D.R.=Death Rate; I. D.=Infantile Deaths (included in total Deaths); ...=Nil Information; "N. R."=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 31st March, 1956—contd.

							D	eaths fi	rom :-	-				
	Town	Mid-yes Popn. Es (000)		B.R.	c.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.	1.D,
	Punjab	(I)					ı	΄.		1				
Ambala Amritsar Batala	<b>:</b> :	65 343 , 62	38 273 23	30.6 41.6 19.4	• •	••	••	 8	3	3 16 <b>2</b>	: ::	8 45 8	6·4 6·9 6·7	2 16 2
Bhi wani Fero zepor Histar Hoshiarpu Jullundur Karnal	. :	57 45 39 51 200	32 11 21 16 69 10	29·4 12·8 28·2 16·4 18·0 7·3	••		••	5 2 3  I	   I	3 4 7 2	:. ::	13 2 9 10 16 5	11·9 2·3 12·1 10·3 4·2 3·6	2 2 1 6 2
Ludhiana Moga Panipat	• • •	176 41 64	79 20 31	23·5 16·9 25·3	••	••	••	8 1 2	·· 1		••	15 2 3	4.5 1.7 2.5	 
Pathankot Rowari Rohtak	: :	34 36 . 105	18 9 31	27·7 13·1 15·4	••	••	••	 3 1	••	2 I	••	3 4 7	4.6 5.8 3.5	; ; 3
Simia Sonepat		. 50 • 34	16 20	16.7 30·8		• •		I	••	2 I	••	3 3	3 I 4 6	1
1	COTAL .	. 1,474	717	25.3	••	••	••	39	8	<b>4</b> 3	ı	156	5.2	4 5
	Uttar Prac	desh												
Agra Alishabad Amroha	: :	· 375 • 349 • 61	216 139 38	30°1 <b>20</b> 8 32.6	••	••	••	••	1	29 21	••	44 50 8	6·1 7·5 6·8	16 
Bahraich Baneras Bailla		- 47 - 383 - 35	34 251 11	37·8 34·3 16·4	::	2 	••	74 4	:. 14 	2 22 I	 3 	17 205 7	18·9 28·0 10·4	63 2
3anda Bareilly Bijnor	•	32 203 32	 52 10	13 4 16 3	••	::	••	10	3	 12	ï	32	1 · 6 8.2	 5
Budaun Basti† Bulandshah	u†	• 54	14	13.2	••	••	••	2	••	1	••	8	7.7	4
Chandausi Dehra Dun Btawah		. 41 . 146 . 64	24 42 28	30'4 15'0 22'9		••	••	4		3 3 3	••	13 6 16	13.1 5.1 10.2	 4
Feizabad-A Farrukhaba Ferozabad	yodhya d-Fatehgarh	. 88 82 . 79	50 12 40	29 7 7.6 26 5	••	:: ::	••	5 1 3		2 3 I	•••	10 7 7	5·9 4·5 4·6	3 2
Gaziabad Gazipur Gorakhpur		_7	4 15 37	4·5 21·8 13·8	::	••	::	 5 6	.;	 2 3	••	13 10	18·9 3.7	1 2 4
Gonda Hapur Hardwar	•	35 49 64	2I 14 33	31 · 4 14 · 9 26 9		••	•••	 7 9	••	2 I I	••	10 14	3.0 10.7 11.4	¶
Hathres Jeunpur Jhansi		62 56 116	48 20 90	40.5 18·7 40·6	••	••	::	4 3 16	4 •• 3	4 3 3	••	16 8 26	13.5 7.5 11.7	5 1 7
Kanput Kasganj†		734	350	<b>24</b> 9	٠.	••	••	28	24	47	6	334	<b>2</b> 3·8	93
Khurja		. 41	15	19.1	••	••	••	••	••	3	••	7	8•9	I
Koil-Aligari Lucknow Mathura		. 150 494 . 110	82 225 51	28·6 23·8 24·2	 .:		••	4 28 2	18	7 37 6	 2	15 122 10	5.2 12.9 4.7	2 16 3
Mau-Nath   Meerut	-	. 185	66	18.6				2	• •	9		18	5.1	3
Mirzapur- Vindhyacha		97	29	15.6		I	••	2	·	3		15	8.1	3

<sup>\*</sup>In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

<sup>†</sup>Figures not available.

Explanation of symbols used: ~B.~Births; B. R.~Birth Rate; C.~Cholers; S.~ Smallpox; P.~Plague; P.~Pevers; D. D.~ Dysentery and Diarrices: R.D. ~ Respiratory Diseases; M.D.~ Maternal Double; D.R.~Death Rate; J.D.~ Inantile Deaths (included in total deaths); ..~Nii Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 31st March, 1956—contd.

Death from :-

					<b></b>			_^_	· <del></del> .	<del></del>	<b></b> -			
Town		Mid-yea Popn. Es (000)		B.R.*	C.	s.	Р.	F.	DD.	R.D.	M.D.	Total	D,R,*	I.O
Uttar Pradesh	1													
Moradabad Muzaffarnagar Pilibhit	•		4 90 4 31 15 40	28 7 21 9 46 5	·· ··		•••		 	17 	••	32 11 10	7 8 11 6	10 5 2
Rampur† \$aharanpur . Sambhal .	<u>:</u>		62 88 5 <b>5 19</b>	28 4 15.3		::		25 2	 3	 10	••	27 16	8·7 12 9	6
Shahjahanpur Sitapur -	•	. 9		36·8	: ::	••	••	1	••	5 E	••	13		3 5
TOTAL	-	. 5,14	4 2,391	24.5		3	••	37 <b>5</b>	80	26 <b>6</b>	12	1,165	11.8	308
West Bengal														
Asansol† Baidyabati† Bally		. 60	5 8	6.3				••	••	••	••	1	0.8	1
-	•		_	_		••	••							• •
Bankura Banaberia† Baranagar	•	. 90	_	13.4 3.1	••	•••		· I	3	2	•••	14	8.1	4
Basirhat Berhampur . Bhadreshwar .		_ :	54	5·4 44·1 13·8	••	••	 	 4	 2 	 I	••	 21 1	17 <sup>-</sup> 2 1-5	6
Bhatpara Budge-Budge Burdwan	:	143 34 82	15	9°5 24°5 20°4		••		7 1 1	3 3 1	 5	: 	23 5 20	8·4 8·2 12·8	6
Culcutta . Campdani . Cooch Behart	•	<b>2984</b> 4		21·5 6·4	10			37	56 	139 1	4	634 3	3.8 11.1	19 ··3
Darjeeling† English-Bazar Garden Reach		36 1 <b>2</b> 4		••		I ••		·· 3	••		••	1 14	1.5 5.9	4
Halisahar† Hoogly-Chinsurah Howrah		60 477	69	59·8 12·4		.:	••	3 9	22	31		13 133	11·3 14·6	5 47
Jalpaiguri Kamarhati†	•	49	26	<b>2</b> 7 · <b>7</b>			••	••	••	••		9	9.6	••
Kanchrapara .	•	. 74	15	10.6	••	••	••	••	••	••	••	••	• •	. ••
Krishnagar . Midnapore . Nabadwip .	•	56 <b>45</b> 70	2 26 26	1·9 30·2 19·4	  17	••	••	· · · · · · · · · · · · · · · · · · ·	··· 2	 	••	2 10 26	19.4 11.6 1.9	* # # * * *
Naihati . North		62	• •	• •	••	••	••	••	••	••	••	••		••
Barrackpare		36	4	5.8	••	••	••	I	••	••	••	3	4.4	••
Panihati† Shantipur Seramporo	:	49 83	16 31	17 I 19·5			••	··· 4	2	3	••	18	11.1	· · · 3
Siliguri South Dum Dum South Suburban		44 83 124	 2 6	1.3 2.5	 I	:: .:	:. 	 I	 3	 2	·	2 ::	2 4  7.2	10
Titagarh .		78	11	7.4		••		14		I	I	16	10.7	I.
Total	•	5,175	1,756	17-6	35	7	.,	93	97	195	7	987	9.9	279

<sup>\*</sup> In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

<sup>†</sup> Pigures not available,

Explanation of symbols used :—B.—Birtha, B.R.—Birth Rate; C.—Cholera S.—Smallpox; P.—Plague; F.—Pevers; D. D.—Dysentery and Diarrhosa: R.D.—Respiratory Diseases; M. D.—Massernal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ...—Nil information.

Rirths and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 31st March, 1956-contd.

				٠.						Deat	the from	n :—			
I cw	n,		Mid-year opa,-Bet, (000)	В.	B.R.*	C,	S.	P,	F.	D.D.	R.D.	M.D	Total	DR*	T.D.
1 .	. '		:		ST	ATE	8—(P∎	rt B)							
jamı	mu & Kas	hm	ir			ωN	. R,**								
Mad	hya Вһаз	at [	,		* 1			"N.R	."		,			•	
Myse	- FA														
Bangalore			977	589	31.3		••	•,•	6	46	81		248	1312	
Mysore Kolar Gold	Pields		<sup>2</sup> 94 173	110 58	19.5 17.4	••	••		15 2	6 5	3 8	•	67 <b>38</b>	11.9 11.4	••
Bhadrayathi Dayangere Hospet	_		55 69 45	11 32 60	10·4 24·1 69·3	••	• •	••	1 3 1	• •	٠. خ	**	2 10 11	1 · 9 7 · 5 12 · 7	
To	TAL		1,613	860	27.7	••	••	••	28	56	97	••	376	<b>1</b> 2 I	
PF	RPSU														*.
Patiala City Malerkogia Bliatinda	.,.* •	:	111 34 39	28 . 15 . 13	13.1 22'9 17'3	::	••	••	5 6 1	 	5 •• I	••	2 <b>6</b> 9 3	13·8 4·0	1 1 8
· ·	TOTAL		184	∞ <b>5</b> 6	15.8	••	••	••	13	. <b>I</b>	<b>5</b> 6	••	38	10°7	10
Ř.	ijasthan									,					
Alwar Bharatpur Bikaner:		,	60 38 117	4 40	5·5 17.8	.:	5	::	 2	<b>I</b>	 5	···	2	9·7	 2
Churu Ganganagar Fenk	6 6 6 7		48 47 45	I 2	1.1 2.3	••	6	**	3	). ). ().	2	••	1 12 T	1:1 13:2 1:2	
Kotah Sikar†	• •		72	20	14.4	••	••	••	4		I	I -	11	7.9	••
Udalpur† Jodhpur†		, ,	353	26	3·8		••	••	20	.5	22	I	58	8.5	14
	TOTAL	•	, <b>780</b>	93	, <b>6•2</b> ,	7.0	11	•• ,	31	, , 6	3,1	3	107	7. <b>3</b> .	17
	e angoin	-Co		45	****									***	
Alleppey Changenech Brnakulam	erry	•	148 41 70	42 62 31	14.8 78.6 23.8	•••	••	••	6	 	3	••	11 8 11	#•1 20.3 8.3	ï
Kiottayam† Mattancher Nagercoil		:	85 94	24 22	14·4 12·2	••	••	••	1 3		••	••	7 9	413 510	
Ogilon Trichur Trivandrum		<i>:</i>	75 76 218	34 32 188	23·6 21·9 44·8	••	•••	••	2 1	ï	1	:: :	16 7 16	4·8 3·8	<b>#</b>
3	TOTAL		807	436	32.1	••	••	•• .	16	3	4	1	8≰	5.2	3
- Sa	urashtra														
Bhavnagar Dhoraji Gondal†	:	•	157 46	38 26	13·6 28·8	••	••	••	<b>5</b> 3	3 2	••	••	33 13	10·9 14:4	
Jamnagar Junagadh Morvi	•	•	122 65 43	89 37 17	37°9 29°6 20°6	••	•••	••	7 17 2	ï	4	••	19 30 2	8 I 24 0 2.4	4 9 2
Porbandar Rajkot Surendrana	ent et	•	64 167	66 66	1915 2015	::	••	••	9 16	1 3		••	31 50	13.Q	i6
Voraval		•	46	6	<b>Q.8</b>	••	- ••	••	I	t	. 1		4	4.5	••
T	OTAL y <b>decabe</b> d	-	710	303	22.3	••	w.	I.R."	60	10	13	••	172	13.6	36

<sup>&</sup>quot;In cases of towns where there has been an abnormal movement of population, it is likely that the population astimates may not be sufficiently reliable for calculating the birth and death rates.

<sup>†</sup> Figures not available.

\*\*Proplanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholers; S.—Smallpor; P.—Plague; R.-Revers; D.D.—Dysentery and Diarrhoca; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; L.D.—Jujantile Deaths (included in total deaths); ...—Nil information, "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 31st March, 1956—contd.

Deaths from:-Mid-year Popn, Est. Town D.D. R.D. M.D. Total D.R.\* I.D. (000) В. B,R,\* C. S. P. P ARREAR RETURNS Bombay For w/e 10-3-56 -2" 84 5 889 17.8 Ahmedahad 34·6 20·6 <sup>2</sup>7 304 20 594 12 115 Ahmednagar 35 32 . . ٠. Amainer 50 33'2 5 1 14 14.5 5.8 36 28 40:4 36:0 35:0 Bagalkot 61 242 46 13·7 15·8 **168** 16 Baroda 2 II Barsi 1 i 📫 a 31 4 14 15-4 15-9 Belgaum ITO 3 Ľ I 28 13 🕏 7 Bhusawal 5.0 6.2 62 19 6 2 25 Rijapur 3 9 75 46.5 14<sup>4</sup>7 3 6 67 Broach 60 7 2 19 · 3-·· ĭ ambay **39** 12 4I 49 \* 5 3 2 Chalisgaon 35 22 10.4 4 7 76 30.8 Dharwa 45 1 17 11.6 4 Dhulia 1 Gadag-Betegeri 71 43 31-4 4 6 2 47 198 Godhra 6 78 Greater Bombay 19.4 26 III 654 9·9 7·0 153. j Hubli 43 15.1 20 Jalgaon Kalyan Kolhaput 79 73 159 3 12 4 7 4 3 3 19 9 30 . . 6·4 9·8 5 55 11 ٠. . . Malegaon Mira 26 4 10 8 8 2 9 5 11 7 63 6 42 44 71 ΙĠ 3 1 14 8 Nedlad 39 28 2 16 4 28:2 Nandurbar 35 119 10.4 13.1 11.4 19 2 I Nasik 27.1 6 8 2 ЗÓ 4 7 ٠. Navasari 30 31:2 . 3 Pandharpur 44 47 **2** 3 7 3 29°5 31°0 I :**4** (**3**) Paten 13.3 **Poonat** 58 Sangli 33.7 2 13 Satara 40 17 . . . . T8-2 · . Sholapur 299 **3**29 25 36 115 4 20.0 25 36.4 Surat 250 175 5 22 I 25 119 24.8 38 Thanat TOTAL 6,936 336 F2+3 3,337 24.9 13 176 54 9 1,643 314 For w/e 17-3-56 Bombay 889 88 Ahmedabad 615 43°1 35°9 31°2 12 17 1 · • · · 407 20 28 113 28.5 11.8 106 3 Ahmednagar 60 \*(\*) \*(#) Amalner 50 30 Bagalkot 36 28 5 74 16 1 Baroda 242 209 15 15 Bareit 110 Belgaum 32 15·1 26·8 3 4 2 3 I 32 35 Bhusawal . . 6 62 . . . . ٠. 18 15·1 4·8 Bijapur 75 24.3 3 7 Broach 67 53 41.1 1 Į 16 3 12.4 Cambay Challagaon 35 35 52.0 I 4 5 7.4 28 . 8 Dharwar 3 17 1 Dhulia 5 5 49 ٠. ٠. . . ٠. 12 7·0 18·4 Gadag Betegeri. 71 39.6 25

<sup>•</sup> In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

<sup>†</sup> Figures not available.

Explanation of symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholers; S.=Smallpox; P.=Plague; F.=Feverse; D.D. —Dysentery and Diarrhoes: R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infattile Deaths (included in total deaths): . . . Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 31st March, 1956—concld.

								Deaths from					
Тоwn	Mid-ye Popn. B (000)	er st. B.	B.R.*	C,	s.	Р.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Bombay													
Godra Greater Bomba Hubli	40 9 3,449 148	43 1,337 53	55·9 20·2 18·6	••	••	••	6 4 2	19	135 6	ĭ	14 654 22	18·2 <b>9</b> ·9 <b>7·</b> 7	1 139 3
Kalyan	79 73 159	24 30 101	15·5 21·4 33·0	••	••	••	2  I	: · · ·	3 4 8		13 10 36	8·5 7·1 11·8	··· ••
Malegaon Miraj†	. 63	39	27.8	••			-	1	5	••	6	4.3	2
Nadiad Nandurbar	· 71	49 17	35·8 25·3	::	••		17 1		2 I	ī	28 7	21.4 10.4	7 2
Nasik Navasari Pandharpur	. 119 . 50 . 44	70 50 29	30·6 52·0 34·3	••	••	**	8 6 2	3	 3	 	44 11 14	19·2 11·4 16·5	 2 5
· ·	- 47 - 607 58	31 248 22	34·3 21·2 19·7	•••	 	••	7 4 3	 5 2	4 25 1	••	16 10 <b>7</b> 19	17•7 9•2 17•0	. 5 16 4
Satara Sholapur Surat	. 40 . 299 . 250	23 263 186	29·0 45·7 38·7		 1 17	••	2 13 28	 2	30 32	··· ·· 2	9 91 136	11·7 15·8 28·3	1 26 49
Thana	61	19	16.3			••	3	••	-	••	9	7*5	I
Total	. 7,582	3,908	26.8	1	32	••	194	56	423	17	1,875	12•9	393
Bhops	1				<b>1</b> 77-			,					
Bhopal city	. 116	89	39.9	••	I I	or wie :	24-3-56	••	2	-	6	2.7	-
Punj	<b>a</b> b				Fo	r <b>w</b> /s	<b>24</b> -3 <b>-</b> 56						
Moga .	41	23	28-1	••	••		••	_	3	-	6	7· <b>7</b>	2
Buttale .	65 62 34	58 42 26	46·7 35·4 40·0	•••	••	••	I 2 I	2  I	3 1 2	648 649 814	10 8 6	8·0 6·7 9·2	4 4 3

<sup>\*</sup>In cases of towns where there has been an abnormal movement of population, it is likely that the population [estimates may not be sufficiently reliable for calculating the birth and death rates.

<sup>†</sup>Figures not available.

Explanation of symbols used 1 — B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; P.—Fevers; D.D.—Dysentery and Diarrhoga: R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ...—Nil Information.

#### KEMARKS

The figures of births and deaths shown in this statement for week ending the 31st March, 1956, relate to 191 towns with an estimated population of 25,091 thousands. The total number of towns is 317 and their population is 41,516 thousands. Thus 60% of the total number of towns representing 60% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 12,881 and 5,593 representing birth and death rates of 26.7 and 11.6 per thousand of population respectively.

(a) States (Part A and C).—The data here relate to 158 towns with an estimated population of 20,997 thousands, Information about Bihar, Bombay, and Madhya Pradesh could not be included. The total number of towns is 252 and their population is 33,432 thousands. Thus 63% of the total number of towns representing 63% of the total population is covered.

The number of births and deaths recorded in these towns were 11,133 and 4815 representing birth rates and death rates of 27.6 and 11.9 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(b) States (Part B).—The data here relate to 33 towns with an estimated population of 4,094 thousands. The total number of towns is 65 and their population is 8,084 thousands. Thus 51% of the total number of towns representing 51% of the total population is covered. The number of births and deaths recorded in these towns were 1,748 and 778 representing birth and death rates of 22.2 and 9.9 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States			Current	₩/e 31-3-56	Corresponding v	v/e last year		cen during
			B.R.	D.R.	B₁R₊	D,R.	the previous 5-ye B.R.	ar period D.R
Ajmer			16.8	7.0	†	<b>†</b> ,	27.8	18.7
Andhra		•	38.7	18.0	39.1	14*0	†	t
Delhi			220	419	20.3	8-2	24.3	9'7
Madras		-	40.3	16.8	45'0	18*4	t	13
Orissa	•		44*3	14.6	34*3	12'2	36•8	18.4
Punjab (I)		•	25*3	5.5	26.1	€8.4	27.3	9.4
Uttar Pradesh		•	24 <b>°2</b>	11.8	24.4	14.3	27.6	15.9
West Bengal			17.6	9.9	14•7	912	15.9	10•6
India*		•	<b>27°</b> 6	11.9	30*9	13*8	30.4	16•2

\*6 Part "A" States and 2 Part "C", States.

New Delhi-2 (India);

The 23rd April, 1956.

K. MITRA, for Registrar General, Inaia.

<sup>†</sup> Figures not available.

		.,,,,,		 	